

# GMC OIL COMPANY

## PRODUCTS

- Passenger Cars Oils
- Heavy Duty Engine Oils – Trucks and construction machinery
- GMC OILS -TRAFO OIL
- GMC Marine Oils Program 1
- GMC Marine Oils Program 2
- Engine Oils for Motorcycles and Outboard motors, Scooters
- Gear Oils-Lubricants for transmissions GEAR BOXES and Differential
- Gear Oils-Lubricants for automatic transmission GEAR BOXES and Differential
- GMC Agricultural Oils
- GMC Industrial Gear Oils
- GMC Auto Break Fluids
- GMC Antifreeze & Cooling Fluids
- GMC Greases
- GMC Chainsaw Oils
- GMC Compressor Oils
- GMC Hydraulic Oils 1
- GMC Hydraulic Oils 1
- GMC Railroad Engine Oils
- GMC Heat Transfers Oils
- GMC Slideway Oils
- GMC Small Engine Oils

## Passenger Car Oils

Code	Product name	Specifications
8001	GMC OIL ALPHA LifeLong 5W-30	Exceeds: <b>ACEA A3/B3/B4, API SL/CF, FULL SYNT</b> , OPEL GM-LL-A-025/ GM-LL--B-025, MB 229.5, VW 502.00/505.00, BMW Longlife-01, Oil for gasoline and (turbo) diesel engines.
8002	GMC OIL OMEGA ETERNITY 5W-40	Exceeds: <b>ACEA A3/B3/B4, API SM/CF, FULL SYNT</b> , OPEL GM-LL-B-025, MB 229.3, 229.31/ VW 502.00/505.00, VW 505.01, 504.00 /507.00. New generation motor oil for all turbo gasoline and turbo diesel engines.
8004	GMC OIL LifeLong SL 5W-30	Exceeds: <b>ACEA A3/B3/B4, API SL/CF, SYNT</b> , VW 500 00/ 501 00/ 502 00/ 505 00, PORSCHE, MB 229.1/ 229.3/ 229.31/ 229.5, BMW LL-04, FIAT, FORD, VOLVO, RENAULT, CITROEN, PEUGEOT. Oil for all turbo gasoline and turbo diesel engines.
8005	GMC OIL ETERNITY SM 5W-40	Exceeds: ACEA A3/B3/B4, API SM/CF, <b>SINT</b> VW 502 00 / 505 00, VW 505.01, 504.00 /507.00 PORSCHE , MB 229.1, 229.3 , 229.31/ 229.5 , BMW LL, RENAULT, CITROEN, PEUGEOT LEHUS, TOJOTA , FIAT, FORD, VOLVO , MAZDA, SUZUKI. For all gasoline and diesel engines,
8006	GMC OIL ETERNITY TDI SJ 5W-40	Exceeds :ACEA A3/B3/B4, C3, API SJ/CF, <b>SINT</b> , VW 500.00/ 505.00/ 505.01, MB 229.1 ,229.3. 229.31 229.50, BMW LL, -04, PORSCHE, VOLVO, LEHUS, TOYOT, FORD, WSS M2C 917-A, FIAT, RENAULT. CITROEN. PEUGEOT. For diesel engines with direct fuel injection.
8007	GMC OIL Adi Max , SL10W-40	Exceeds: ACEA A3/B3/B4, API SL/CF, <b>PART SYNT</b> , VW 500 00/ 501.01/502 00/ 505.00, PORSCHE, AUDY, BMW, FIAT, PEUGEOT, RENAULT, CITROEN, FORD, VOLVO, TOYOTA, HONDA, HYUNDAI, MAZDA, SUZUKI, MITSUBISHI, JEEP, DACIA, DAEWOO. With gasoline and diesel engines, turbo engines and engines with direct injection.
8008	GMC OIL EverLasting SJ 15W-40	Exceeds: ACEA: A3/B3, API SJ/CD, VW 500.00/ 501 01/505 00, MB 229.1, VW, VOLVO, BNW, FIAT, FORD, RENAULT, CITROEN, PEUGEOT, HYUNDAI, TOYOTA, MAZDA, HONDA, DACIA, DAEWOO, MITSUBISHI, JEEP. For turbo gasoline and diesel engines. High quality multigrade.
8009	GMC OIL MORE LASTING 5W-30	Exceeds: ACEA A3/B3/B4, API SL/CF, <b>SYNT</b> , VW 500.00/501.00/502.00/505.00, Porsche, BMW LL , MB 229.1/229.3/229.31/229.5, OPEL GM-LL-A-025, GM-LL-B-025 , Toyota, Honda, Hyundai, Mazda, Suzuki, Mitsubishi, Jeep, Pontiac, Dacia, Daewoo, Volvo Ford. New generation full synthetic motor oil for gasoline and (turbo) diesel engines.
8010	GMC OIL ENDURING FORM . 5W-40	Exceeds: ACEA A3/B3/B4, API SM/CF, <b>SYNT</b> , VW 502.00/505.00/505.01/506.00/507.00, MB 229.1/229.3,/339.31 BMW LL-04. Toyota, Honda, Mazda, Suzuki, Mitsubishi, Lexus, Nissan, KIA, SAAB, Volvo, Peugeot, Renault, Citroen, Ford, FIAT , Rover. For diesel extended drain interval. New generation full synthetic motor oil for all gasoline and diesel engines, special recommendation for all turbo gasoline and turbo diesel engines.
8011	GMC OIL LifeLong EXTREME 5W-30	Exceeds: ACEA A5/B5, API SM/SL/CF/C3, <b>SYNT</b> , VW 507 00/ 505 01/504.00, MB 229.31, 229.51, BMW LL , Ford M2C 913-A, Ford M2C 913-B, VW, Porsche, MB, BNW, Rover, FIAT, Toyota, Honda, Mazda, Suzuki, Mitsubishi, Lexus, Nissan, KIA, SAAB, Volvo, Peugeot, Renault, Citroen, Ford. New generation full synthetic motor oil for all gasoline and diesel engines. special for all turbo gasoline and turbo diesel engines.
8021	GMCOIL ETERNITY RACING 10W-60	Exceeds: ACEA A3/B4, API SL/CF, <b>SINT</b>
8022	GMCOIL ETERNITY RACING 5W-50	Exceeds: ACEA A3/B3, API SL/CF, <b>SINT</b>
8023	GMCOIL LifeLong POWER 5W-30	Exceeds: ACEA A3/B4/C3, API SL/CF, BMW Longlife-04, MB 229.51, VW 504.00/507.00
8024	GMCOIL LifeLong S POWER 5W-30	Exceeds: ACEA A5/B5/C3, API SL/CF, <b>SINT</b> , VW 502.00/505.00/505.01/507.00. BMW Longlife-04, MB 229.51, WSS Ford M2C 913-C,
8025	GMCOIL ETERNITY POWER 5W-40	Exceeds: ACEA A3/B4/C3, API SM/CF, <b>SYNT</b> , VW 502.00/505.00/505.01 , 507.00. Porsche , Cayenne, BMW Longlife-04, MB 229.51
8026	GMCOIL ETERNITY POWER SS 5W-40	Exceeds: ACEA A5/B5, C3, API SM/CF, <b>SINT</b> ,

## Heavy Duty Engine Oils – Trucks and construction machinery

Code	Product name	Specifications
8040	GMC OIL OFFLIMITS UHPD 10W-40	Exceeds: <b>ACEA E6/E4, API CI-4, SINT</b> , MB 228.5, 228.51, MAN 3277/3477,MTU DDC Type 3, Volvo VDS-3, Renault Trucks RXD/RLD-2, DAF Extended Drains, Scania LDF-2, Mack EO-M Plus, Cummins CES 20076/77/78, DHDI, Iveco, DAF, Caterpillar. Ultra High Performance Diesel
8041	GMC OIL OFFLIMITS ULTRA 10W-40	Exceeds: <b>ACEA E7/E6/E4, API CI-4, SINT</b> ,MB 228.50 / 228.51, MAN 3275,3277,3271-1 /3477, RXD,MTU Type 3,DHDI, Scania, Iveco, Renault Trucks RXD/RLD-2, DAF Extended Drains , Caterpillar , Mack EO-M+, Cummins CES 20077/20078,Volvo VDS-3. Ultra High Performance Diesel .
8042	GMC OIL OFLIMITED POWER 10W-40	Exceeds: <b>ACEA E9/E7, API CI-4/SM, SINT</b> , Renault Trucks RXD/RLD-2,Renault VI RLD-3, Cummins CES 20081,20077,20078,Mack EO-M Plus, DAF Extended Drains, Scania LDF-2, Daimler MB 228.31,228.5, Caterpillar ECF 3/ECF 2/ECF 1a, MTU Category 2.1, MTU DDC Type 3, MAN M 3575,3277, Volvo VDS-4 , Ultra High Performance Diesel .
8043	GMC OIL ENGY SAVIOR 10W-40	Exceeds: <b>ACEA E7/E5/B3/B4/A3, API CI-4/SL, PART SINT</b> , MB 228.3/ 228.5 /229.1, MAN 3575/3277, Volvo VDS3,RLD-2, Caterpillar ECF 3/ECF 2/ECF 1a, MTU Category 2.1 Renault VI RLD-3 , Cummins 20076/77/78,Mack EO-M+, Global DHP 1, CAT ECF1, ZFTE- ML07C, Scania , Iveco. Super High Performance Diesel, Extended drain intervals.
8044	GMC OIL ENGY SAVIOR SS 10W-40	Exceeds: <b>ACEA E7/E5/B3/B4/A3, API CI-4/SM,SINT</b> , MB 228.51,228.3/228.5 /229.1, MAN M3271-1,MAN M 3477,3275,3277, MTU Type 3.1,Volvo VDS-3, MTU Category 2.1 Caterpillar ECF 3/ECF 2/ECF 1a S-3, Renault VI RLD-3 , Cummins 20076/77/78, Mack EO-M+, Duets DQC III-05, Global DHP 1, CAT ECF1, ZFTE- ML07C, Scania , Iveco ,DAF
8055	GMC OIL MOTO SAVIOR 10W40	Exceeds: <b>ACEA E5/E3/B3,B4,A2, API CI-4/SL, PART SINT</b> ,MB 228.3/228.1/229.1,RLD, Volvo VDS3, MAN M3275, Mack EO-M+, MTU Type1, MTU Type 2, MIL-L-46152 & 2104, EO-M Plus, Cummins CES 20072/76/77/78, Caterpillar ECF-1,
7256	GMC OIL SAVIOR POVER 20W-50	Exceeds: <b>ACEA E2/A3/B3/B4, API CG-4/CF/SL,PART SINT</b> , MB 228.3/229.1, MAN 271, Volvo VDS, Mack EO-L, MTU Type 2X .
8057	GMC OIL SAVIOR POVER S 10W30	Exceeds: <b>API CH-4/CF, ACEA E7, SINT</b> ,B3, Renault Trucks RD/RD-2, MB 228.3, MAN M 3275 Volvo VDS-2, Mack EO-M Plus, Caterpillar ECF 1-a, Cummins CES

### GMC OIL-TRAF OIL

8078	GMC THUNDER 1	Exceeds:
8079	GMC THUNDER A	Exceeds:
8070	GMC THUNDER 2	Exceeds:
8274	GMC THUNDER 2A	Exceeds:

### GMC Marine Oils 1

8091	GMC MARINE OIL SAVIOR 10W40	Exceeds: <b>ACEA E7/E5/B3/B4/A3, API CI-4/SL, PART SINT</b> . For fishing boats with Class-C license operating on Cummins, Caterpillar, Volvo, Perkins, Hino, Mitsubishi, Nissan, Daihatsu. Extended drain intervals.
8092	GMC MARINE OIL SAVIOR SS 10W40	Exceeds: <b>ACEA E7/E5/B3/B4/A3, API CI-4/SL, FULL SINT</b> . For fishing boats with Class-C license operating on Cummins, Caterpillar, Volvo, Perkins, Hino Mitsubishi, Nissan, Daihatsu. Extended drain intervals.
8093	GMC MARINE OIL SAVIOR M 15W40	Exceeds: <b>ACEA E5/E3/B3,B4,A2, API CI-4/SL, PART SINT, (Super High Performance Diesel) Oil for diesel and turbocharged diesel engines</b> . For fishing boats with Class-C license operating on Cummins, Caterpillar, Volvo, Perkins, Hino, Mitsubishi, Nissan, Daihatsu.
8094	GMC MARINE OIL OFFLIMITS 10W40	Exceeds: <b>ACEA E6/E4, API CI-4, SINT, Full Synthetic (Ultra High Performance Diesel) Oil</b> For diesel and turbocharged diesel engines. For fishing boats with Class-C license operating on Cummins, Caterpillar, Volvo, Perkins, Hino, Mitsubishi, Nissan, Daihatsu.
8095	GMC MARINE OIL POWER 10W-40	Exceeds: API CI-4/CF, MB 228.3, MAN 271,Volvo VDS, MTU Type 2, Mack EO-L

### GMC Marine Oils 2

Code	Product name	Specifications
8500	GMC MARINE OIL POWER 5070	Exceeds: API
8501	GMC MARINE OIL POWER 5040	Exceeds: API
8502	GMC MARINE OIL POWER 3008	Exceeds: API
8504	GMC MARINE OIL POWER 312	Exceeds: API
8505	GMC MARINE OIL POWER 315	Exceeds: API
8506	GMC MARINE OIL POWER 412	Exceeds: API
8507	GMC MARINE OIL POWER 415	Exceeds: API
8508	GMC MARINE OIL POWER 3030	Exceeds: API
8509	GMC MARINE OIL POWER 3040	Exceeds: API
8510	GMC MARINE OIL POWER 3055	Exceeds: API

**GMC OIL COMPANY**

8511	GMC MARINE OIL POWER 4030	Exceeds: API
8512	GMC MARINE OIL POWER 4040	Exceeds: API
8513	GMC MARINE OIL POWER 4055	Exceeds: API

## Engine Oils for Motorcycles and Outboard motors, Scooters

Code	Product name	Specifications
8122	GMC ETERNITY POWER 2T	Exceeds: API TC, JASO FB
8123	GMC ETERNITY POWER 2T ULTRA	Exceeds: API TC, ISO-L-EGD, JASO FD
8124	GMC ETERNITY POWER SYN 2T	Exceeds: API TC, ISO-L-EGD, JASO FD
8126	GMC ETERNITY POWER 4T ULTRA	Exceeds: API SL, JASO MA/MA2
8127	GMC ETERNITY POWER 4T	Exceeds: API SL, JASO MA

## Gear Oils- Lubricants for transmissions GEAR BOXES and Differential

Code	Product name	Specifications
8151	GMC GEAR OIL POWER 140	Exceeds: API GL-4, MIL-L-2105
8152	GMC GEAR OIL POWER 80W-90	Exceeds: API GL-4, MIL-L-2105
8154	GMC GEAR OIL POWER 85W-140	Exceeds: API GL-4, MIL-L-2105
8156	GMC GEAR OIL POWER 80W-90	Exceeds: API GL-5, MIL-L-2105D
8157	GMC GEAR OIL POWER 85W-90	Exceeds: API GL-5, MIL-L-2105D, MB 235.6, ZF TE-ML 05A/16C/17B/19B/21A
8158	GMC GEAR OIL POWER 85W-140	Exceeds: API GL-5, MIL-L-2105D
8310	GMC GEAR OIL POWER 75W-90	Exceeds: API GL-4/GL-5/MT-1, MIL-PRF-2105E, Mack GO-J, Scania STO-1 MAN 3343 Type S, ZF TE-ML-02B/05B/12B/16F/17B/19C
8152	GMC GEAR OIL POWER 80W-90	Exceeds: API GL-5 MIL-PRF-2105D, MAN 342N, MB 235.0, Volvo 97310, DAF & Renault (where GL-5 axle lubricants are recommended for use)

## Gear Oils- Lubricants for automatic transmission GEAR BOXES and Differential

Code	Product name	Specifications
8165	ATF DEXRON II	Exceeds: GM DEXRON II, ALLISON C3
8166	ATF DEXRON III DXIII FULL SYNT	Exceeds: GM DEXRON III, Ford MERCON® NEW MERCON ALLISON C4, FORD, KATERPILLAR TO-2, Mercedes Benz, ZF.
8167	ATF DEXRON IV DXVI	Exceeds: GM DEXRON VI

## Agricultural Oils

Code	Product name	Specifications
8200	OFFLIMITS TRACTOR POWER 10W-30	Exceeds: API CF-4/CF/SF, API GL-4, John Deere J27C, MF 1139/1144, Ford M2C-159B Allison C-4, Caterpillar TO-2, ZF TE-ML 06B/07B
8201	OFFLIMITS TRACTOR POWER SS 10W-40	Exceeds: API CI-4/ John Deere J27C, MF 1139/1144, Ford M2C-159B Allison C-4, Caterpillar TO-2, ZF TE-ML 06B/07B
8202	SAVIOR TRACTOR POWER S S 10W40	Exceeds: API CI-4/SL, John Deere J20C, Ford M2C 134D, MF CMS M1135/1143/1145 Case NH MAT 3525&3526, ZF TE ML 03E/05E
8203	SAVIOR TRACTOR POWER 10W40	Exceeds: API GL-4, John Deere J20C, Ford M2C 134D, MF CMS M1135/1143/1145 Case NH MAT 3525&3526, ZF TE ML 03E/05E

## GMC Industrial Gear Oils

Code	Product name	Specifications
8230	GMC INDUSTRIAL GEAR OIL 68	Exceeds: DIN 51517-3: CLP, ISO 12925-1: L-CKC, ANSI/AGMA 9005E02 US Steel 224, David Brown S1.53.101(E)
8231	GMC INDUSTRIAL GEAR OIL 100	Exceeds: DIN 51517-3: CLP, ISO 12925-1: L-CKC, ANSI/AGMA 9005E02 US Steel 224, David Brown S1.53.101(E)
8232	GMC INDUSTRIAL GEAR OIL 150	Exceeds: DIN 51517-3: CLP, ISO 12925-1: L-CKC, ANSI/AGMA 9005E02 US Steel 224, David Brown S1.53.101(E)
8233	GMC INDUSTRIAL GEAR OIL 220	Exceeds: DIN 51517-3: CLP, ISO 12925-1: L-CKC, ANSI/AGMA 9005E02 US Steel 224, David Brown S1.53.101(E)
8234	GMC INDUSTRIAL GEAR OIL 320	Exceeds: DIN 51517-3: CLP, ISO 12925-1: L-CKC, ANSI/AGMA 9005E02 US Steel 224, David Brown S1.53.101(E)
8235	GMC INDUSTRIAL GEAR OIL 460	Exceeds: DIN 51517-3: CLP, ISO 12925-1: L-CKC, ANSI/AGMA 9005E02 US Steel 224, David Brown S1.53.101(E)
8236	GMC INDUSTRIAL GEAR OIL 680	Exceeds: DIN 51517-3: CLP, ISO 12925-1: L-CKC, ANSI/AGMA 9005E02 US Steel 224, David Brown S1.53.101(E)

**GMC Auto Break Fluids**

Code	Product name	Specifications
8250	GMC BREAKE FLUID DOT 3	Exceeds: FMVSS 116: DOT 3, SAE J 1703, ISO 4925
8291	GMC BREAKE FLUID DOT 4	Exceeds: FMVSS 116: DOT 4, SAE J 1703, ISO 4925
8252	GMCLHM FLUID	Exceeds: ISO 7308, PSA B71 2710 or PSA Company (Citroën, Peugeot)

**GMC Antifreeze & Cooling Fluids**

Code	Product name	Specifications
8270	GMC ANTIFREEZE	Exceeds: BS 6580, AFNOR 15-601, ASTM D-3306, SAE J 1034, CUNA NC 956-16
8271	GMC ANTIFREEZE XL	Exceeds: BS 6580, ASTM D3306, SAE J1034, AFNOR 15-601, CUNA NC 956-16, MB 325.0, GM/Opel, Deutz/MWM, BMW, VW TL 774C (G11)
8272	GMC ANTIFREEZE G12+	Exceeds: VW-TL-774D/F (G12+), MB 325.3, FORD ESE-M97B49-4/44C, FORD WSS-M97B44-D, MAN 248 & 324 SNF GM/OPEL 1940656/6277M, SCANIA, Volvo no: 260, Renault: 41-01-001, PSA B715110
8273	GMC COOLANT FLUID 40	Exceeds: BS 6580, AFNOR 15-601, ASTM D-3306, SAE J 1034, CUNA NC 956-16
8274	GMC COOLANT FLUID RTU G12+	Exceeds: VW TL-774D/F (G12+) FORD ESE-M97B44-A MB 325.3/FORD WSS-M97B44-D MAN 248 & 324 SNF GM/OPEL 1940656/MAN B&W D36 5600 GM/US 6277M SCANIA, DAF 74002 Volvo VCS DEUTZ MWM 0199-2091, BRITISH LEYLAND LTS 22 AF 10

**GMC Greases**

Code	Product name	Specifications
8300	GMC GREASE EP 00	Exceeds: ISO 6743-9: ISO-L-XCBEB00,& DIN 51502: GP00G-30
8301	GMC GREASE EP 2	Exceeds: ISO 6743-9: ISO-L-XCCFB2,& DIN 51502: KP2K-30
8302	GMC GREASE EP BF 2	Exceeds: ISO 6743-9: ISO-L-XCCFB2,& DIN 51502: KP2K-30
8303	GMC GREASE EP BF 3	Exceeds: ISO 6743-9: ISO-L-XBCFB3,& DIN 51502: KP3K-30
8304	GMC GREASE EPX 2	Exceeds: ISO 6743-9: ISO-L-XCDEB2 & DIN 51502 : KP2N-30
8305	GMC GREASE EPHT 2	Exceeds: ISO 6743-9: ISO-L-XCDAB2 & DIN 51502 : KP2N-30
8306	GMC GREASE EPWR 2	Exceeds: ISO 6743-9: ISO-L-XBCHB2.5& DIN 51502 : KP2.5K-20

**GMC Chainsaw Oils**

Code	Product name	Specifications
8350	GMC CHAINSAW Oils 100	
8351	GMC CHAINSAW Oils 150	

**GMC Compressor Oils**

Code	Product name	Specifications
8375	GMC COMPRESSOR SS LUB 46	Exceeds: DIN 51506: VBL/VCL/VDL, ISO 6743-3A: L-DAA/DAB/DAG/DAH
8376	GMC COMPRESSOR SS LUB 68	Exceeds: DIN 51506: VBL/VCL/VDL, ISO 6743-3A: L-DAA/DAB/DAG/DAH
8377	GMC COMPRESSOR SS LUB 150	Exceeds: DIN 51506: VBL/VCL/VDL, ISO 6743-3A: L-DAA/DAB/DAG/DAH

**GMC Hydraulic Oils 1**

Code	Product name	Specifications
8400	GMC OIL HYDRO 22	Exceeds: DIN 51524/2 HLP, ISO 11158 HM , AFNOR NFE 48-603 HM
8401	GMC OIL HYDRO 32	Exceeds: DIN 51524/2 HLP, ISO 11158 HM , AFNOR NFE 48-603 HM, Denison HF-0/HF-1/HF-2, Cincinnati P-68, Eaton (Vickers): M-2950-S/I-286-2
8420	GMC OIL HYDRO 46	Exceeds: DIN 51524/2 HLP, ISO 11158 HM , AFNOR NFE 48-603 HM, Denison HF-0/HF-1/HF-2, Cincinnati P-70, Eaton (Vickers): M-2950-S/I-286-2
8421	GMC OIL HYDRO 68	Exceeds: DIN 51524/2 HLP, ISO 11158 HM , AFNOR NFE 48-603 HM, Denison HF-0/HF-1/HF-2, Cincinnati P-69, Eaton (Vickers): M-2950-S/I-286-2
8422	GMC OIL HYDRO 100	Exceeds: DIN 51524/2 HLP, ISO 11158 HM, AFNOR NFE 48-603 HM
8423	GMC OIL HYDRO PLUS 22	Exceeds: DIN 51524/3 HVLP, ISO 11158 HV, AFNOR NFE 48-603 HV, Eaton (Vickers) M-2950-S/I-286-S
8424	GMC OIL HYDRO PLUS 32	Exceeds: DIN 51524/3 HVLP, ISO 11158 HV, AFNOR NFE 48-603 HV Denison HF-0, Cincinnati P-68, Eaton (Vickers), M-2950-S/I-286-S
8425	GMC OIL HYDRO PLUS 46	Exceeds: DIN 51524/3 HVLP, ISO 11158 HV, AFNOR NFE 48-603 HV Denison HF-1, Cincinnati P-70, Eaton (Vickers), M-2950-S/ I-286-S
8426	GMC OIL HYDRO PLUS 68	Exceeds: DIN 51524/3 HVLP, ISO 11158 HV, AFNOR NFE 48-603 HV, Denison HF-2, Cincinnati P-69, Eaton (Vickers), M-2950-S/ I-286-S
8427	GMC OIL HYDRO PLUS 100	Exceeds: DIN 51524/3 HVLP, ISO 11158 HV, AFNOR NFE 48-603 HV, Eaton (Vickers) M-2950-S/I-286-S

## GMC Hydraulic Oils 2

Code	Product name	Specifications
8464	GMC OIL HYDRO SS 22	Exceeds: DIN 51524/2 HLP, ISO 11158 HM, AFNOR NFE 48-603 HM Eaton (Vickers) M-2950-S/I-286-S
8465	GMC OIL HYDRO SS 32	Exceeds: DIN 51524/2 HLP, ISO 11158 HM, AFNOR NFE 48-603 HM, Denison HF-0, Eaton (Vickers) M-2950-S/I-286-S, Cincinnati Machine: P-68
8466	GMC OIL HYDRO SS46	Exceeds: DIN 51524/2 HLP, ISO 11158 HM, AFNOR NFE 48-603 HM Eaton (Vickers) M-2950-S/I-286-S, Denison HF-1, Cincinnati Lamb: P-70
8467	GMC OIL HYDRO SS 68	Exceeds: DIN 51524/2 HLP, ISO 11158 HM, AFNOR NFE 48-603 HM, Denison: HF-2, Eaton (Vickers) M-2950-S/I-286-S, Cincinnati Machine: P-69
8468	GMC OIL HYDRO SS ULTRA 22	Exceeds: DIN 51524/3 HVLP, ISO 11158 HV, AFNOR NFE 48-603 HV, Eaton (Vickers), M-2950-S/ I-286-S
8469	GMC OIL HYDRO SS ULTRA 32	Exceeds: DIN 51524/3 HVLP, ISO 11158 HV, AFNOR NFE 48-603 HV, Denison HF-0, Eaton (Vickers), M-2950-S/ I-286-S, Cincinnati Machine P-68
8470	GMC OIL HYDRO SS ULTRA 46	Exceeds: DIN 51524/2 HLP, ISO 11158 HM, AFNOR NFE 48-603 HM, Denison HF-1, Eaton (Vickers) M-2950-S/I-286-S, Cincinnati Machine: P-70
8471	GMC OIL HYDRO SS ULTRA 68	Exceeds: DIN 51524/3 HVLP, ISO 11158 HV, AFNOR NFE 48-603 HV, Denison HF-2, Cincinnati Machine P-69, Eaton (Vickers) M-2950-S/I-286-S, Poclain
8472	GMC OIL HYDRO SINT 32	Exceeds: DIN 51524/2 HLP, ISO 11158 HM, AFNOR NFE 48-603 HM, Denison HF-0, Cincinnati Lamb: P-68, Eaton (Vickers) M-2950-S/I-286-S
8473	GMC OIL HYDRO SINT 46	Exceeds: DIN 51524/2 HLP, ISO 11158 HM, AFNOR NFE 48-603 HM, Denison HF-1, Cincinnati Lamb: P-70, Eaton (Vickers) M-2950-S/I-286-S
8474	GMC OIL HYDRO SINT 68	Exceeds: DIN 51524/2 HLP, ISO 11158 HM, AFNOR NFE 48-603 HM, Denison HF-2, Cincinnati Lamb: P-69, Eaton (Vickers) M-2950-S/I-286-S
8475	GMC OIL HYDRO HLPD ULTRA 46	Exceeds: DIN 51524/2 HLPD

## GMC Railroad Engine Oils

Code	Product name	Specifications
8540	GMC RAILROAD OIL	Exceeds: API CF / CF-2 Locomotive Maintenance Officers Association (LMOA) Generation 5 General Motors (GM) Electro-Motive Diesel (EMD) General Electric (GE): Generation 4 Long Life

## GMC Heat Transfers Oils

Code	Product name	Specifications
8550	GMC THERMO OIL 32	

## GMC Slideway Oils

Code	Product name	Specifications
8560	GMC SLIDEWAY OIL 32	Exceeds: ISO 6743-4 HG, ISO 6743-13 GA
8561	GMC SLIDEWAY OIL 68	Exceeds: ISO 6743-4 HG, ISO 6743-13 GA, Cincinnati Milacron P-47
8562	GMC SLIDEWAY OIL 220	Exceeds: ISO 6743-4 HG, ISO 6743-13 GA, Cincinnati Milacron P-50